

WARNING
Keep out of reach of Children
ECOTOXIC

PYRADYM
Insecticide

For the control of a wide range of insect pests on
Avocados, Citrus, Kiwifruit and Ornamentals
Active ingredient: contains 28 g/litre pyrethrins in the form of an emulsifiable concentrate.

Registered pursuant to the ACVM Act 1997, No. P7623

[See www.nzfsa.govt.nz/acvm](http://www.nzfsa.govt.nz/acvm) for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval code HSR

[See www.ermanz.govt.nz](http://www.ermanz.govt.nz) for approval controls.

Deleted: see

Manufactured and Distributed by:

Henry Manufacturing Limited,
140 Clovelly Road, Bucklands Beach, Auckland.
Postal address: P.O.Box 12015, Ahuriri, Napier
Telephone: 027 2941490
Fax: 09 535 4408
Email: info@henrymanufacturing.co.nz

Registered to:

Henry Manufacturing Ltd
140 Clovelly Road, Bucklands Beach, Auckland

Net contents: 1 and 5 litres

Deleted: NZ Agent
Elliott Technologies Limited
P O Box 838
Pukekohe

READ LABEL COMPLETELY BEFORE USING

WARNING: This material may be harmful if swallowed. This material may cause skin and eye irritation and an allergic reaction in sensitive individuals.

PRECAUTIONS: Keep out of reach of children. Avoid contact with skin and eyes and inhalation of spray mist. When mixing or applying wear protective clothing, including face shield, impervious gloves and footwear. If clothing becomes contaminated with product, remove clothing immediately. Do not eat, drink or smoke while using. Wash hands and exposed skin thoroughly with soap and water before meals and after work. Wash protective clothing daily after work.

Very toxic to bees and other terrestrial invertebrates. Spray must not contact plants in flower while bees are present.

Very toxic to fish and other aquatic organisms.

Container disposal. Triple rinse container and add residue to spray tank. Puncture and bury in a suitable landfill. Avoid contamination of any water supply with chemical or empty container.

Storage: Store in original container, tightly closed, in a cool dry well-ventilated out of direct sunlight and place away from foodstuffs. When stored appropriately this product should show no significant degradation for 12 months. Contact your supplier for further information about the use of any product that is older than this.

FIRST AID: If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

GENERAL INFORMATION: Pyradym is a direct contact, fast acting botanical insecticide, the active ingredient being a blend of natural pyrethrins derived from the flower parts of Chrysanthemums. It controls a broad range of insect pests on fruit and ornamental crops.

MIXING: Pyradym is a concentrate requiring the further addition of a proprietary mineral oil in the ratio of 1:5 (Pyradym/Mineral Oil). This should be pre-mixed and then added to the water under agitation at the recommended rate (300ml total /100litres of water) when the sprayer is $\frac{3}{4}$ full with water. Complete filling, maintain agitation or agitate frequently while spraying to form a milky solution. Mix only enough for immediate use.

RECOMMENDATIONS: The persistence and efficacy of Pyradym is affected by direct sunlight and it is recommended not to apply the product when sun is at full strength or when temperatures exceed 32⁰C. Pyradym is best

Deleted: 4

Deleted: w

Deleted: to

applied in the late afternoon or early morning. Control of pests is best achieved when insect numbers are not epidemic and applications should be repeated as necessary to maintain control.

COMPATIBILITY: Mineral Oils: It is recommended that the mineral oil chosen to pre mix with Pyradym is one commonly used and known to be safe for the crop being sprayed. Pyradym has been shown to perform well with DC Tron Plus, Excel and Ultrafine Mineral Oils.

Other Products: Aside from combination with the correct Mineral Oil, it is recommended that Pyradym be applied alone. Do not mix Pyradym with lime sulphur, dimethoate, Bordeaux mixture or any other product containing sulphur or alkaline material, or any product where there is a known incompatibility with mineral oil. When first using Pyradym always treat a few plants of each species to ensure crop safety before treating large areas.

DIRECTIONS FOR USE: For best results Pyradym should be applied to wet the target crop completely to run-off.

CROP	PEST	RATE / 100 litres	COMMENTS
Avocados	Greenhouse thrips	50 ml + 250 ml mineral oil.	Monitor pest presence and spray when first observed on fruit. High numbers occur late summer and through the autumn. Three to four applications at 21-day intervals may be necessary.
Citrus	Greenhouse thrips	50 ml + 250 ml mineral oil.	Monitor pest presence and spray when first observed on fruit. High numbers can occur in summer and autumn. Three to four applications at monthly intervals may be necessary.
Kiwifruit	Passion vine hopper	50 ml + 250 ml mineral oil.	Monitor pest presence and spray when first observed. Apply with a water rate of over 2000 litres per hectare. Apply early evening to dusk when the Passion Vine Hopper is less mobile due to cooler temperatures. Repeat application as necessary at 10-14 day intervals.
Ornamentals	Aphids, earwigs, pear slugs, thrips	50 ml + 250 ml mineral oil.	Monitor pest presence and spray when first observed. Repeat application as necessary at 10-14 day intervals

Deleted: 0

Deleted: 0

Deleted: 0

Deleted: 0

WITHHOLDING PERIOD: 1 day

Batch Number:

Date of manufacture:

Expiry Date: 1 year